

OUTDOOR COLLECTIONS



Wesley LED

Finish: White, Black, Textured Architectural Bronze™, Platinum | Glass: Clear Tempered With Inside Etch



49278WHLED | Outdoor Wall
10W, 3000K, 90 CRI, 65 LPW
7"W x 7.5"H
W * LED



49279WHLED | Outdoor Wall
19W, 3000K, 90 CRI, 56 LPW
7"W x 13.75"H
W * LED



49278BKLED | Outdoor Wall
10W, 3000K, 90 CRI, 47 LPW
7"W x 7.5"H
W * LED



49279BKLED | Outdoor Wall
19W, 3000K, 90 CRI, 37 LPW
7"W x 13.75"H
W * LED



49278AZTLED | Outdoor Wall
10W, 3000K, 90 CRI, 46 LPW
7"W x 7.5"H
W * LED



49279AZTLED | Outdoor Wall
19W, 3000K, 90 CRI, 37 LPW
7"W x 13.75"H
W * LED



49278PLED | Outdoor Wall
10W, 3000K, 90 CRI, 59 LPW
7"W x 7.5"H
W * LED



49279PLED | Outdoor Wall
19W, 3000K, 90 CRI, 42 LPW
7"W x 13.75"H
W * LED

COORDINATING
PATH LIGHT



1584BKT

FEATURE

49279 - Clear glass on top to provide up light



Tournai™

Finish: Londonderry™ | Glass: Clear Seeded



9356LD | Outdoor Wall
(1) 150W Medium, 7"W x 18"H
W



9357LD | Outdoor Wall
(2) 60W Candelabra, 12.5"W x 24"H
W



9358LD | Outdoor Wall
(3) 60W Candelabra, 20.25"W x 29"H
W



9359LD | Outdoor Wall
(4) 60W Candelabra, 14"W x 37.75"H
W



9360LD | Outdoor Wall
(4) 100W Medium, 17"W x 46"H
W



9855LD | Outdoor Pendant
(3) 60W Candelabra, 12"W x 24.75"H
Overall Ht. 99", Chain/Stem 72"
D



9564LD | Outdoor Pendant
(4) 100W Medium, 17"W x 33.5"H
Overall Ht. 108", Chain/Stem 72"
D



9568LD | Outdoor Pendant
(8) 100W Medium, 25.5"W x 47.5"H
Overall Ht. 123", Chain/Stem 72"
D



9558LD | Outdoor Post
(3) 60W Candelabra, 12"W x 27"H
W



9559LD | Outdoor Post
(4) 60W Candelabra, 14"W x 30"H
W



9565LD | Outdoor Post
(4) 100W Medium, 17"W x 37.5"H
W

COORDINATING
PATH LIGHT



15422AGZ



9356BKT | Outdoor Wall
(1) 150W Medium, 7"W x 18"H
W



9357BKT | Outdoor Wall
(2) 60W Candelabra, 12.5"W x 24"H
W



9358BKT | Outdoor Wall
(3) 60W Candelabra, 20.25"W x 29"H
W



9359BKT | Outdoor Wall
(4) 60W Candelabra, 14"W x 37.75"H
W



9360BKT | Outdoor Wall
(4) 100W Medium, 17"W x 46"H
W



9855BKT | Outdoor Pendant
(3) 60W Candelabra, 12"W x 24.75"H
Overall Ht. 99", Chain/Stem 72"
D



9564BKT | Outdoor Pendant
(4) 100W Medium, 17"W x 33.5"H
Overall Ht. 108", Chain/Stem 72"
D



9568BKT | Outdoor Pendant
(8) 100W Medium, 25.5"W x 47.5"H
Overall Ht. 123", Chain/Stem 72"
D




9558BKT | Outdoor Post
(3) 60W Candelabra, 12"W x 27"H
W



9559BKT | Outdoor Post
(4) 60W Candelabra, 14"W x 30"H
W



9565BKT | Outdoor Post
(4) 100W Medium, 17"W x 37.5"H
W



COORDINATING
PATH LIGHT

15857BKT

Beacon Square CLIMATES™

Finish: Olde Bronze® | Glass: Clear Hammered



498290Z | Outdoor Wall
(1) 75W Medium, 6.5"W x 12"H
W C



498300Z | Outdoor Wall
(1) 100W Medium, 8"W x 14.25"H
W C



498310Z | Outdoor Wall
(1) 150W Medium, 9.5"W x 17.5"H
W C



498330Z | Outdoor Pendant
(1) 150W Medium, 9.5"W x 18"H
Overall Ht. 92", Chain/Stem 72"
D C



498320Z | Outdoor Post
(1) 150W Medium, 9.5"W x 20.5"H
W C



498340Z | Outdoor Ceiling
(2) 75W Medium, 12"W x 5.25"H
D C ⊕

COORDINATING
CEILING FAN



300250SNB

ADDITIONAL
FINISH



White



9039BK | Outdoor Wall
(1) 60W Medium, 6"W x 10.25"H
W



9040BK | Outdoor Wall
(1) 100W Medium, 8"W x 19.5"H
W



9041BK | Outdoor Wall
(1) 100W Medium, 8"W x 19.25"H
W



9042BK | Outdoor Wall
(1) 150W Medium, 10"W x 24.25"H
W



9043BK | Outdoor Wall
(1) 200W Medium, 12"W x 29"H
W



9843BK | Outdoor Pendant
(1) 200W Medium, 12"W x 24.75"H
Overall Ht. 99", Chain/Stem 72"
D




9938BK | Outdoor Post
(1) 150W Medium, 10"W x 21.75"H
W



9848BK | Outdoor Ceiling
(2) 60W Medium, 13.5"W x 7.5"H
D

ADDITIONAL FINISH



Rubbed Bronze™

Ripley™

Finish: Olde Bronze®



49059OZ | Indoor/Outdoor Wall
(1) 40W Medium, 8"W x 7.5"H
Ⓜ Ⓟ



49060OZ | Indoor/Outdoor Wall
(1) 40W Medium, 10"W x 9"H
Ⓜ Ⓟ



49061OZ | Indoor/Outdoor Wall
(1) 40W Medium, 12"W x 10"H
Ⓜ Ⓟ



49063OZ | Outdoor Post
(1) 40W Medium, 12"W x 16"H
Ⓜ Ⓟ

COORDINATING
PATH LIGHT



15800 AZT27R

Mount Vernon

Finish: Black | Glass: Clear Seeded



9707BK | Outdoor Wall
(1) 100W Medium, 5.5"W x 12.5"H
W



9708BK | Outdoor Wall
(1) 150W Medium, 7.5"W x 16.75"H
W



9709BK | Outdoor Wall
(1) 150W Medium, 9.5"W x 19.5"H
W



9704BK | Outdoor Wall
(4) 60W Candelabra, 13"W x 27.75"H
W



9909BK | Outdoor Post
(1) 150W Medium, 9.5"W x 20.75"H
W

ADDITIONAL
FINISH



Olde Bronze®

Allenbury CLIMATES™

Finish: Textured Black, White, Olde Bronze®



49980BKT | Outdoor Wall
(1) 100W Medium, 12"W x 9"H
WC



49981BKT | Outdoor Wall
(1) 150W Medium, 14"W x 9"H
WC



49982BKT | Outdoor Pendant
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



49982BKT | Outdoor Semi Flush
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



49980WH | Outdoor Wall
(1) 100W Medium, 12"W x 9"H
WC



49981WH | Outdoor Wall
(1) 150W Medium, 14"W x 9"H
WC



49982WH | Outdoor Pendant
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



49982WH | Outdoor Semi Flush
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



49980OZ | Outdoor Wall
(1) 100W Medium, 12"W x 9"H
WC



49981OZ | Outdoor Wall
(1) 150W Medium, 14"W x 9"H
WC



49982OZ | Outdoor Pendant
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



49982OZ | Outdoor Semi Flush
(1) 100W Medium, 12"W x 8.25"H
Overall Ht. 45", Chain/Stem 36"
DC



59005WZC | Outdoor Wall
(1) 75W Medium, 5"W x 12"H
W



59006WZC | Outdoor Wall
(1) 100W Medium, 7"W x 16.75"H
W



59007WZC | Outdoor Wall
(1) 150W Medium, 9"W x 21.75"H
W



59008WZC | Outdoor Pendant/Semi Flush
(1) 100W Medium, 9"W x 17.25"H
Overall Ht. 91", Chain/Stem 72"
D

FEATURE
Natural Brass
Metal Accents



Barras™

Finish: Black | Glass: Clear Ribbed



59022BK | Outdoor Wall
(1) 75W Medium, 5.5"W x 11.5"H
W



59023BK | Outdoor Wall
(1) 100W Medium, 7"W x 16"H
W



59024BK | Outdoor Wall
(1) 150W Medium, 8.25"W x 20"H
W



59025BK | Outdoor Post
(1) 150W Medium, 8.25"W x 23.25"H
W

River Path™ LED

Finish: Textured Black, Olde Bronze® | Glass: Clear Seeded

OUTDOOR

COLLECTIONS



49945BKTLED | Outdoor Wall
10W, 3000K, 90 CRI, 20 LPW
5.5"W x 17.5"H



49946BKTLED | Outdoor Wall
20W, 3000K, 90 CRI, 28 LPW
5.5"W x 23"H



49945OZLED | Outdoor Wall
10W, 3000K, 90 CRI, 20 LPW
5.5"W x 17.5"H



49946OZLED | Outdoor Wall
20W, 3000K, 90 CRI, 28 LPW
5.5"W x 23"H



OUTDOOR
HANGING
LIGHTS





49309BK | Morelle™
 (5) 75W, Medium, 11"W x 10.75"H x 38.5"L
 Overall Ht. 36", Chain /Stem 36"

D



49805WZC | Wright
 (3) 150W, Medium, 12"W x 13.25"H x 36"L
 Overall Ht. 52", Chain /Stem 36"

D



49667WZC | Ashland Bay
 (5) 60W, Medium, 26"W x 20"H
 Overall Ht. 58", Chain /Stem 36"

D



49835AZ | Lyndon™
 (6) 100W, Medium
 17"W x 13.75"H x 36.75"L
 Overall Ht. 52", Chain /Stem 36"

D



49791AUB | Grand Bank™
 (4) 60W, Candelabra, 20"W x 23"H
 Overall Ht. 97", Chain /Stem 72"

D



59008WZC | Lahden™
 (1) 100W, Medium, 9"W x 17.25"H
 Overall Ht. 91", Chain /Stem 72"

D



49982BKT | Allenbury™ CLIMATES™
 (1) 100W, Medium, 12"W x 8.25"H
 Overall Ht. 45", Chain /Stem 36"

D C



49982WH | Allenbury™ CLIMATES™
 (1) 100W, Medium, 12"W x 8.25"H
 Overall Ht. 45", Chain /Stem 36"

D C



49982OZ | Allenbury™ CLIMATES™
 (1) 100W, Medium, 12"W x 8.25"H
 Overall Ht. 45", Chain /Stem 36"

D C



49603LD | Halleron™
 (3) 60W, Candelabra, 12"W x 18.75"H
 Overall Ht. 93", Chain /Stem 72"

D

OUTDOOR
CEILING
FANS



Gentry LED Fans


Finish: Anvil Iron, Distressed Black, Weathered Zinc | Glass: Etched Cased Opal

65" BLADE SWEEP




AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
7950	38	209

300265AVI
Distressed Antique Gray,
Walnut Blades




Fan Finish Blade Finishes

300265AVI7
Distressed Antique Gray
Blades




Fan Finish Blade Finish

300265DBK
Walnut, Walnut
Shadowed Blades



Fan Finish Blade Finishes

300265WZC
Weathered White Walnut,
Dark Walnut Blades




Fan Finish Blade Finishes

GENTRY LED | 300265 - GENTRY XL LED | 300285

HANGING MEASUREMENTS - WITH 6" DOWNROD

Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 16.5"	B 14.0"	C 7.0"	D 6.0"



HANGING
GUIDE
DIAGRAM

- D** DAMP-RATED
- LED** INTEGRATED LED
- ☼** DIMMABLE

INCLUDED CONTROL



6-Speed DC Wall
Control System

OPTIONAL CONTROL



6-Speed DC CoolTouch™
Handheld Transmitter -
Full Function
371075


- V** REVERSIBLE
BLADES
- DC** DC MOTOR

85" BLADE SWEEP




AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
9058	31	283

300285AVI
Distressed Antique Gray,
Walnut Blades




Fan Finish Blade Finishes

300285AVI7
Distressed Antique Gray
Blades




Fan Finish Blade Finish

300285DBK
Walnut, Walnut
Shadowed Blades



Fan Finish Blade Finishes

300285WZC
Weathered White Walnut,
Dark Walnut Blades



Fan Finish Blade Finishes


Imari

Finishes: Matte White, Polished Nickel, Satin Black | Glass: White Polycarbonate Lens


65" BLADE SWEEP




300365MWH
Light Oak Blades




300365PN
Walnut Blades



300365SBK
Weathered White
Walnut Blades



HANGING MEASUREMENTS - WITH 6" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 14.5"	B 11.75"	C 10"	D 6.25"



- D** DAMP-RATED
- LED** INTEGRATED LED
- ☼** DIMMABLE
- DC** DC MOTOR

INCLUDED CONTROL	OPTIONAL CONTROL
------------------	------------------



6-Speed DC Wall Control System



6-Speed DC CoolTouch™ Handheld Transmitter - Full Function 371075

AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
9548	34	282


Ried

Finishes: Anvil Iron, Brushed Nickel, Olde Bronze®


56" BLADE SWEEP




300356AVI
Driftwood Blades




300356NI
Medium Walnut Blades



300356OZ
Cherry Blades



HANGING MEASUREMENTS - WITH 6" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 14.25"	B 13.5"	C 8"	D 6"



- D** DAMP-RATED
- AC** AC MOTOR

INCLUDED CONTROL	OPTIONAL CONTROL
------------------	------------------



65K Wall Control System – Limited Function




65K CoolTouch™ Transmitter – Limited Function 370005

AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5260	61	86

Tide

Finishes: Brushed Nickel, Olde Bronze®, Satin Black, White | Glass: Etched Cased Opal

52" BLADE SWEEP



- D** DAMP-RATED
- LED** INTEGRATED LED
- ☀** DIMMABLE
- AC** AC MOTOR

<p>310075NI Silver Blades</p>	 NI Fan Finish	 Blade Finish
<p>310075OZ Weathered Medium Oak Blades</p>	 OZ Fan Finish	 Blade Finish
<p>310075SBK Satin Black Blades</p>	 SBK Fan Finish	 Blade Finish
<p>310075WH White Blades</p>	 WH Fan Finish	 Blade Finish


HANGING MEASUREMENTS - WITH 4.5" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 13.9"	B 8.8"	C 9.1"	D 5.9"
AIR PERFORMANCE*			
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt	
5091	57	89	

INCLUDED CONTROL	OPTIONAL CONTROL
 65K CoolTouch™ Control System – Full Function	 65K Wall Transmitter – Full Function 371065

Tranquil

Finishes: Brushed Nickel, Olde Bronze®, Satin Black, White | Glass: Etched Cased Opal

56" BLADE SWEEP



- D** DAMP-RATED
- LED** INTEGRATED LED
- ☀** DIMMABLE
- AC** AC MOTOR

<p>310080NI Silver Blades</p>	 NI Fan Finish	 Blade Finish
<p>310080OZ Weathered Medium Oak Blades</p>	 OZ Fan Finish	 Blade Finish
<p>310080SBK Satin Black Blades</p>	 SBK Fan Finish	 Blade Finish
<p>310080WH White Blades</p>	 WH Fan Finish	 Blade Finish

HANGING MEASUREMENTS - WITH 4.5" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 14.3"	B 10"	C 9.6"	D 5.9"
AIR PERFORMANCE*			
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt	
6102	71	86	

INCLUDED CONTROL	OPTIONAL CONTROL
 65K CoolTouch™ Control System – Full Function	 65K Wall Transmitter – Full Function 371065

*Performance values are based on indoor applications and may vary when used in outdoor applications.

Surrey Weather+™

Finish: Matte White, Satin Black, Satin Natural Bronze


60" BLADE SWEEP



300250MWH
Matte White Blades




300250SBK
Satin Black Blades



300250SNB
Satin Natural
Bronze Blades



HANGING MEASUREMENTS - WITH 4.5" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 14.0"	B 11.5"	C 9.0"	D 6.5"



W+ WEATHER+™
AC AC MOTOR

INCLUDED CONTROL | OPTIONAL CONTROLS




65K CoolTouch™
Control System -
Limited Function
371082

AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
6246	65	96

Tranquil Weather+™

Finishes: Brushed Nickel, Olde Bronze®, Satin Black, White | Glass: Etched Cased Opal

56" BLADE SWEEP




W+ WEATHER+™
LED INTEGRATED LED

DIMMABLE
AC AC MOTOR


310130NI
Silver Blades



310130OZ
Weathered Medium
Oak Blades



310130SBK
Satin Black Blades



310130WH
White Blades



HANGING MEASUREMENTS - WITH 4.5" DOWNROD			
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 14.3"	B 10"	C 9.6"	D 5.9"

AIR PERFORMANCE*		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
6102	71	86

INCLUDED CONTROL | OPTIONAL CONTROL



65K CoolTouch™
Control System -
Full Function




65K Wall Transmitter -
Full Function
371065

Tide Weather+™

Finish: Brushed Nickel, Olde Bronze®, Satin Black, White

52" BLADE SWEEP



W+ WEATHER+™

LED INTEGRATED LED

DIMMABLE

AC AC MOTOR

310126NI
Silver Blades




Fan Finish



Blade Finish

310126OZ
Weathered Medium Oak Blades



Fan Finish



Blade Finish

310126SBK
Satin Black Blades



Fan Finish



Blade Finish

310126WH
White Blades



Fan Finish



Blade Finish

HANGING MEASUREMENTS - WITH 4.5" DOWNROD

Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 13.9"	B 8.8"	C 9.1"	D 5.9"

AIR PERFORMANCE*

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5091	57	89

INCLUDED CONTROL



65K CoolTouch™
Control System –
Full Function

OPTIONAL CONTROL



65K Wall Transmitter –
Full Function
371065



*Performance values are based on indoor applications and may vary when used in outdoor applications.


Pola™ Wall Fans

Finishes: Brushed Nickel, Satin Natural Bronze


18" BLADE SWEEP



339218NI
Brushed Nickel Blades




339218SNB
Satin Natural Bronze Blades



POLA™ | 339218, 339224

HANGING MEASUREMENTS		INCLUDED CONTROL
24" Blade Sweep	18" Blade Sweep	
<p>W WET-RATED AC AC MOTOR</p>		<p>Pull Chain</p> <p>Wall Bracket Dimensions</p> <p>Mounting Bracket</p>


24" BLADE SWEEP



339224NI
Brushed Nickel Blades



339224SNB
Satin Natural Bronze Blades




Lyndon Patio

Finishes: Distressed Black, Olde Bronze® | Glass: Clear Seeded

52" BLADE SWEEP




310239DBK
Dark Walnut, Light Walnut Blades



Fan Finish Blade Finishes

310239OZ
Medium Walnut, Dark Walnut Blades



Fan Finish Blade Finishes


AIR PERFORMANCE*

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
4946	65	77

LYNDON PATIO

52" 310239 | HANGING MEASUREMENTS - WITH 4.5" DOWNROD

Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 19.0"	B 13.0"	C 9.5"	D 6.75"



- W** WET-RATED
- V** REVERSIBLE BLADES
- AC** AC MOTOR

60" 310240 | HANGING MEASUREMENTS - WITH 4.5" DOWNROD

Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 19.0"	B 13.25"	C 12.25"	D 6.75"

INCLUDED CONTROL



Wall Transmitter - Limited Function

OPTIONAL CONTROL




CoolTouch™ Handheld Transmitter - Limited Function 337214TRTR

60" BLADE SWEEP




310240DBK
Walnut Shadowed, Light Walnut Blades



Fan Finish Blade Finishes

310240OZ
Medium Walnut, Dark Walnut Blades



Fan Finish Blade Finishes

AIR PERFORMANCE*

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5393	74	72

*Performance values are based on indoor applications and may vary when used in outdoor applications.

Sola LED Fans

Finishes: Matte White, Brushed Nickel, Olde Bronze® | Glass: Etched Cased Opal

34" BLADE SWEEP




330150MWH
Matte White Blades



Fan Finish Blade Finish

330150NI
Silver Blades




Fan Finish Blade Finish

330150OZ
Brown Blades



Fan Finish Blade Finish

330150SBK
Satin Black Blades



Fan Finish Blade Finish

AIR PERFORMANCE* (Flush Mount)

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
3509	65	54

AIR PERFORMANCE* (with Hanger System)

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
3831	65	65

44" BLADE SWEEP



330151MWH
Matte White Blades



Fan Finish Blade Finish

330151NI
Silver Blades




Fan Finish Blade Finish

330151OZ
Brown Blades



Fan Finish Blade Finish

330151SBK
Satin Black Blades



Fan Finish Blade Finish

AIR PERFORMANCE* (Flush Mount)

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
4298	68	63

AIR PERFORMANCE* (with Hanger System)

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
4705	68	77

Sola LED Fans

Finishes: Matte White, Brushed Nickel, Olde Bronze® | Glass: Etched Cased Opal

54" BLADE SWEEP



330152MWH
Matte White Blades




330152NI
Silver Blades



330152OZ
Brown Blades








330152SBK
Satin Black Blades



AIR PERFORMANCE* (Flush Mount)		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5096	70	73

AIR PERFORMANCE* (with Hanger System)		
Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
5754	70	91

SOLA LED | 330150, 330151, 330152

HANGING MEASUREMENTS - FLUSH MOUNT				INCLUDED ACCESSORIES	OPTIONAL ACCESSORIES
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width	 Wall Transmitter - Full Function	 CoolTouch™ Handheld Transmitter - Full Function 337009WHTRWHTR
A 11.0"	B 7.25"	C 8.75"	D 6.5"	 Includes a metal cap in coordinating finish for non-light usage.	
 <p>HANGING GUIDE DIAGRAM</p>				<ul style="list-style-type: none"> W WET-RATED LED INTEGRATED LED DIM DIMMABLE AC AC MOTOR 	
HANGING MEASUREMENTS - WITH OPTIONAL HANGER SYSTEM					
Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width	 Downrod Kit 337033 MWH, NI, OZ, SBK	
A 15.0"	B 11.25"	C 8.75"	D 6.75"		

*Performance values are based on indoor applications and may vary when used in outdoor applications.


Rana™ LED

Finishes: Brushed Nickel, Satin Black | Glass: Etched Cased Opal

60" BLADE SWEEP




310155NI
Nickel Blades



Fan Finish Blade Finish


310155SBK
Satin Black Blades



Fan Finish Blade Finish

HANGING MEASUREMENTS - WITH 6" DOWNROD

Fixture Drop from Ceiling	Blade Drop from Ceiling	Housing Width	Ceiling Canopy Width
A 15.75"	B 14.5"	C 8.75"	D 5.75"



- W** WET-RATED
- LED** INTEGRATED LED
- DIMMABLE**
- AC** AC MOTOR

INCLUDED ACCESSORIES



Wall Transmitter - Full Function



Includes a metal cap in coordinating finish for non-light usage.

OPTIONAL CONTROL



CoolTouch™ Handheld Transmitter - Full Function 337009WHTR

AIR PERFORMANCE*

Airflow Cubic Ft. Per Minute on High	Power Usage Watts on High (Excludes Lights)	Airflow Efficiency Cubic Ft. Per Minute Per Watt
8536	70	121

Additional Kichler Damp, Wet-Rated and Weather+™ Fans

300103 Canfield™ 30"	310112 Lehr™ II Weather+™
300241 Gentry Lite 52"	310115 Lehr™ Weather+™
300300 Szepló™ 60"	310170 Ahrendale™ 60"
300301 Szepló™ 80"	310192 Canfield™ Patio 52"
300352 Chiara 52"	310204 Cameron 52"
310017 Hatteras Bay™ 60"	310206 Monarch™ Patio 70"
310018 Hatteras Bay™ 52"	330015 Basics Pro Patio 52"
310072 Daya	330019 Basic Pro Designer 52"
310073 Lydra™	330021 Basics Pro Legacy Patio 52"
310100 Verdi	330163 Renew™ Designer 52"
310103 Monarch™ Patio 52"	330165 Renew™ Patio 52"



NOTES

- Bulbs not included unless otherwise noted.
- Wattages stated are the maximum allowed; however, you may use lower wattage lamps to suit your lighting needs. Some recommended lamps are not available in the maximum allowable wattage.
- All electrical products are rated as 120-volt, AC unless otherwise noted.
- All electrical products are certified and listed to UL/CSA standards for use in U.S.A. and Canada except where noted.
- All chain drop products equipped with at least 72" of chain unless otherwise noted.
- All products featured in the outdoor section are certified and listed to UL/CSA standards for wet location except where noted.
- On some products, in order to accommodate higher-than-normal ceiling height, extra lead wire is supplied and specified. With additional sections of chain or stems (not included), this allows an added measure of design flexibility.
- Finishes for fixtures installed outdoors are subject to change due to prolonged exposure to sunlight, airborne pollutants, and other forms of weathering.
- In outdoor settings, the optional handheld ceiling fan controls are recommended and should be stored in an area protected from the elements. Wall-mounted controls that come standard with many fans are not damp or wet-rated.
- To serve you better, Kichler Lighting reserves the right to make improvements to the products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.



Kichler Lighting is a member of the American Lighting Association (ALA), a trade association representing the residential lighting and ceiling fan industries in the United States and Canada. Its membership includes leading lighting and fan manufacturers, showrooms (retailers), manufacturers representatives and designers. ALA members are dedicated to providing the public with the proper application of quality residential lighting.

For warranty information visit Kichler.com/Warranty

CONSUMER NOTICE

Federal Legislation to phase out 100 watt Incandescent Bulbs started January 2012

The federal government enacted the Energy Independence and Security Act of 2007 in December 2007, requiring all general-purpose light bulbs that produce 310-2600 lumens of light be 30% more energy efficient (similar to current halogen lamps) than current incandescent bulbs by 2014. The efficiency standards started with 100 watt bulbs in January 2012 and will end with 40 watt bulbs in January 2014.

Light bulbs outside of this range are exempt from the restrictions (historically, less than 40 watts or more than 150 watts). Also exempt are several classes of specialty lights, including appliance lamps, rough service bulbs, 3-way, colored lamps and plant lights.

By 2020, a second tier of restrictions will become effective; which requires all general-purpose bulbs to produce at least 45 lumens per watt (similar to current CFLs). Exempt from the Act are reflector flood, 3-way, candelabra, colored and other specialty bulbs.

Many governments worldwide have passed measures to prohibit the sale of incandescent light bulbs for general lighting. The aim is to encourage use of more energy-efficient lighting alternatives, such as LED lamps.

References: www.energy.senate.gov

We go to great lengths to assure the metal and glass finishes shown in the catalog match the actual products, but printing variations and variations in chemical finishes and the nature of hand-applied finishing will cause some differences between the printed images and actual product, and from one product to another.

We use only non-ferrous materials on the exterior parts of our outdoor lantern products, and use the best available weather-resistant finishes. However, due to some extreme environmental conditions such as acid rain, salt air and ultraviolet exposure, we cannot guarantee our exterior finishes, with the exception of our LifeBrite® lanterns.

Due to environmental conditions such as soil acidity, concrete alkalinity and other corrosive soil and air conditions, we cannot guarantee our direct burial posts.

LIGHTING & FANS BY
KICHLER®

A PROUD NATIONAL SPONSOR



**St. Jude Dream Home®
Giveaway**

Shown: 2021 St. Jude Dream Home – Vancouver, Washington

